

GENERAL SHELTERS SPECIFICATION SHEET

Building Size <u>18x46</u> Roof Style <u>Gable w/ 9" Boxed Overhang</u> Porch <u>N/A</u> Floor: Skids: Double Skids Insulation: <u>R-19 Fiberglass w/ Vapor Barrier</u> Joists: 2" x 8" on 16" Center Decking: 3/4" Subfloor Floor Covering: Tile: <u>Pick a tile</u> 26oz. Carpet: _____	Doors: qty. Exterior Door: 2 <u>36"x80" Fiberglass Out Swing</u> Exterior Door: _____ Door Insert: <u>1/2 Glass Star</u> Door Insert: <u>1/2 Glass Star</u> Door Color: _____ Interior Doors qty. 1 <u>22" A/C Flat Panel Stain Grade</u> 2 <u>32" Flat Panel Stain Grade</u> 1 <u>36" Biflod Louver Panel Stain Grade</u> 3 <u>36" Bifold Flat Panel Stain Grade</u> _____ _____ _____ Windows: Window Type: qty. <u>Vinyl</u> 10 <u>30"x 54" Low E Insulated</u> 2 <u>36"x 66" Low E Insulated</u> 1 <u>36"x 36" Low E Insulated</u> _____ _____ _____ Window Color: _____ 4" Band Color _____
Exterior: Walls: 8' Walls Studs: 2" x 4" x 91.5" on 16" Center Bottom Plate: 2" x 4" Top Plate: Double 2" x 4" Sheathing: <u>7/16" OSB w/ House Wrap</u> Insulation: R-15 Fiberglass Siding: 29 ga. _____ Window Trim: 29 ga. _____	Electrical: qty. Load Center: 1 200 Amp Exterior Panel Receptacles: 15 15 amp.CGFI Receptacle Color GFI Receptacles: 5 Interior GFI Outside Receptacles 2 Exterior GFI Lighting: 2 Ceiling Fan Lighting: 8 LED Disk Lighting: 2 Galvanized Porch Light 2 Galvanized Misc.: 2 Smoke Detector Exhaust Fans: 1 110 CFM Exhaust Fan _____ _____ _____ Plumbing: Bathroom #1: 1 <u>60" Tub /Shower Kit</u> Bathroom #2: _____ Water Closets: Elongated Lavatory: Porcelain Sink Water Heater: <u>27 kw In Line</u> Faucet Type: Residential Brass Body Sink: <u>Stainless Undermount Double Bowl</u>
Interior: Studs: 2" x 4" x 91.5" on 16" Center Covering: Paneling: _____ Cabinets: Color: _____ Counter Top: <u>Standard is Granite</u> Trim: <u>Interior Trim Color</u> Closets: 1 rod and Cedar Shelf Pantry: 1 5 @ 16" Deep Cedar Shelves Misc.: _____ Mirror: 1 <u>24" x 36" Bathroom</u>	Roof: Truss: Engineered on 24" Center Ceiling: <u>29ga. Galvalume</u> Insulation: _____ Decking: Radiant 7/16" OSB w/ Felt Paper Roofing: 26ga. _____ Rake Trim: 26ga. _____ Anchor Straps: <u>per side</u> Skid Attached - Field Installed
HVAC: A/C - Heating: <u>2 Ton Residential Unit</u>	Appliances: <u>18 cu.ft. Refrigerator (30")</u> 1 Stainless <u>30" Slide in Range</u> 1 Stainless <u>Microwave w/ ventless</u> 1 Stainless <u>Dishwasher</u> 1 Stainless <u>Stack Washer/Dryer</u> 1 White _____ 0
SPECIAL ITEMS: <u>Cabinet over Toilet</u>	
Model: <u>Blue Water</u> <u>sq.ft.</u> Approval By: _____ Dealer: _____ Date: _____	