

GENERAL SHELTERS SPECIFICATION SHEET

Building Size <u>16x40</u>		Doors: <u>qty.</u>	
Roof Style <u>Barn w/ Vertical Roof</u>		Exterior Door: 1 <u>36"x80" Fiberglass Out Swing</u>	
Porch <u>16' x 6' Open Style</u>		Exterior Door: _____	
Floor:		Door Insert: <u>1/2 Glass Picture</u>	
Skids: Double Skids		Door Insert: _____	
Insulation: <u>None</u>		Door Color: _____	
Joists: 2" x 8" on 16" Center		Interior Doors <u>qty.</u> 3 <u>32" Flat Panel Stain Grade</u>	
Decking: 3/4" Subfloor		1 <u>36" Bifold Louver Panel Stain Grade</u>	
Floor Covering:		_____	
Tile: <u>Pick a tile</u>		_____	
26oz. Carpet: _____		_____	
Exterior:		Windows:	
Walls: 8' Walls		Window Type: <u>qty.</u> <u>Vinyl</u>	
Studs: 2" x 4" x 91.5" on 16" Center		1 <u>30"x 36" Low E Insulated</u>	
Bottom Plate: 2" x 4"		1 <u>36"x 66" Low E Insulated</u>	
Top Plate: Double 2" x 4"		1 <u>72"x66" Low E Insulated</u>	
Sheathing: <u>House Wrap Only</u>		_____	
Insulation: R-15 Fiberglass		_____	
Siding: 29 ga. _____		Window Color: _____	
Window Trim: 29 ga. _____		4" Band Color _____	
Interior:		Electrical: <u>qty.</u>	
Studs: 2" x 4" x 91.5" on 16" Center		Load Center: 1 <u>200 Amp Exterior Panel</u>	
Covering: Paneling: _____		Receptacles: 12 <u>15 amp.CGFI</u> <u>Receptacle Color</u>	
Cabinets: Color: _____		GFI Receptacles: 3 <u>Interior GFI</u>	
Counter Top: <u>Bianco Romano Formica</u>		Outside Receptacles: 2 <u>Exterior GFI</u>	
Trim: <u>Interior Trim Color</u>		Lighting: 2 <u>Ceiling Fan</u>	
Closets: 1 <u>rod and Cedar Shelf</u>		Lighting: 2 <u>LED Disk</u>	
Pantry: 1 <u>24"x84" Cabinet</u>		Lighting: 1 <u>Galvanized</u>	
Misc.: _____		Porch Light: 1 <u>Galvanized</u>	
Mirror: 1 <u>24" x 36" Bathroom</u>		Misc.: 2 <u>Smoke Detector</u>	
Roof:		Exhaust Fans: 1 <u>110 CFM Exhaust Fan</u>	
Truss: Engineered on 24" Center		Plumbing:	
Ceiling: <u>5/16"Sea Spray Sheetrock</u>		Bathroom #1: 1 <u>60" Shower w/seat Kit</u>	
Insulation: <u>R-19 Fiberglass</u>		Bathroom #2: _____	
Decking: <u>Radiant 7/16" OSB w/ Felt Paper</u>		Water Closets: <u>Elongated</u>	
Roofing: 26ga. _____		Lavatory: <u>Porcelain Sink</u>	
Rake Trim: 26ga. _____		Water Heater: <u>18 kw In Line</u>	
Anchor Straps: <u>per side</u> <u>Skid Attached - Field Installed</u>		Faucet Type: <u>Residential Brass Body</u>	
HVAC:		Sink: <u>Stainless Double Bowl</u>	
A/C - Heating: <u>12,000 BTU Wall Unit</u>		Appliances:	
<u>18,000 BTU Wall Unit</u>		<u>18 cu.ft. Refrigerator (30")</u> 1 <u>Stainless</u>	
SPECIAL ITEMS: <u>3/4' filler by microwave and pantry</u>		<u>30" Slide in Range</u> 1 <u>Stainless</u>	
		<u>Microwave w/ ventless</u> 1 <u>Stainless</u>	
		<u>Stack Washer/Dryer</u> 1 <u>White</u>	
		_____ 0	
		_____ 0	
		_____ 0	
Model: <u>Independence #2</u> <u>sq.ft.</u>		Approval By: _____	
Dealer: _____		Date: _____	
5/1/2026			